




# GREENAPPLE

Green Approach to combat  
hydrocarbon pollution





Green Apple Environmental Technologies is a rapidly growing environmental technology firm. The company's vision is to provide innovative treatment solutions for problems related to Water and Land pollution. The product endows with environmental remediation solutions to municipalities, industrial and commercial end-users, and consulting engineers. The products of Green Apple Environmental Technologies are a dedication to innovation in storm-water, marine, aviation, and spill remediation.

Typical sales activities are directed to urban storm-water management districts, civil and environmental consulting firms, marine and aviation centres, industrial manufacturing units, road and rail distribution entities, fuel handling and distribution centres.

Green Apple Environmental Technologies works exclusively to combat Hydrocarbon Pollution and Oils Spill Containment in Water and on ground regions.

The apparition of the firm is to provide a complete, professional and timely service to our clients covering all aspects of hydrocarbon pollution response and safety services in a practical, efficient and cost-effective manner.

The key to effective response lies in the expertise of people to solve problems and understanding the issues surrounding oil spills and the preparation of equipment. We pride ourselves on the quality of our people and the reliability of our product to meet response needs.

Green Apple Environmental Technologies is the exclusive dealer and is associated with various United States based companies in promoting the latest technologies for Hydrocarbon pollution.

**KEY ELEMENTS OF EMERGENCY OIL SPILL RESPONSE :** Green Apple Environmental Technologies provides services for oil spill incidents at both onshore and offshore locations. Our unique set of skills and capabilities allows us to offer you turnkey solutions to your environmental problems.

**Our services include:**

- Conducting Oil Spill Preparedness Audits and Oil Spill Risk Assessments to evaluate your equipment, your response capability, and your maintenance regime. In addition to identifying your particular requirements, we also provide our product RAMSORB for oil spill containment.
- Provision of Relief Teams for Accidental Oils Spills and Training Programme.
- Responds to Marine Oils Spills and Land Based Spills.

## INDEX

<b>Ramsorb - I</b>	
<b>Ramsorb - IA</b>	
<b>Ramsorb - II</b>	
<b>Ramsorb - III</b>	
<b>Ramsorb - IV</b>	



**GREENAPPLE**  
Green Approach to combat  
hydrocarbon pollution

# RAMSORB I

## The Industrial Strength Absorbent That Makes Environmental Problems Disappear

RamSorb I is the premier oil absorbent and remediation product on the market today. It is lightweight, non-toxic, 100% cellulose and easy to use. RamSorb I picks up hydrocarbons from soil or solid surfaces and is harmless to plant and animal life. It is extremely efficient on land spills where a residual dressing on the ground will encapsulate a spill and will not allow the spill to leach back into the soil.

RamSorb I can also be used to bioremediate oil-soaked ground by simply raking or tilling the product into the soil. Such areas include tank storage facilities, fueling locations, oil production sites, pipelines, etc. RamSorb I is excellent for fuel, oil, paint, coolant, and other spills on roadways and shop floors.



- 100% cellulose, non-abrasive
- Ten times more absorbent than traditional clay products
- Reduces or eliminates disposal costs
- Contains natural bacteria that degrade petroleum hydrocarbons
- Encapsulates hydrocarbons & prevents leaching
- Cleans contaminated soil by bioremediation
- Absorbs up to 6 times its own weight in oil



**RamSorb I** can also save on disposal costs. It can be incinerated and will contribute approximately 7,000 BTUs per pound during incineration, with less than 4% ash. It can typically be placed in landfills where no “free liquids” and no strong petroleum odors are allowed

### To order

visit [www.greenappletech.in](http://www.greenappletech.in)  
call 0145-5100253 / 54 / 55

Product	Part Number	Quantity	Price
RamSorb I 30 lb. Bag	1500-001-30 Less than pallet (1-49 bags)	1 Pallet ( 50 Bags)	Call for Current Pricing
RamSorb I 5 Gallon Pail (20 lbs.)	1500-001-5G Less than pallet ( 1-35 pails)	1 Pallet (36 pails)	Call for Current Pricing
RamSorb I 5 lb Shaker Bottle	1500-001-SH Less than case (1-4 bottles)	1 Case (4 Bottles)	Call for Current Pricing
RamSorb I 10 Gallon Pail (Screw Top)	1500-001-10G	1 Barrel	Call for Current Pricing
RamSorb I Large Fiber Barrel	1500-001-140	1 Barrel	Call for Current Pricing



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

#### GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235



# MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard:29 CFR 1910.1200

## I. PRODUCT IDENTIFICATION: RamSorb 1

Manufactured By: RAM Environmental Technologies, Inc.

## II. HAZARDOUS INGREDIENTS: NONE

NON-HAZARDOUS, NON-TOXIC -	Chem. Name:	%	PEL/OSHA	TLV-ACGIH	CAS NUMBER
		N/L	N/L	N/L	N/L

## III. PHYSICAL DATA:

Boiling Point:	N/A	Spec. Gravity: (H <sub>2</sub> O = 1) 1.25/cc	Vapor Pressure: (mm Hg)-N/A
Melting Point:	N/A	Vapor Density (Air = 1): N/A	Evaporation Rate (Butyl Acetate = 1): N/A
Solubility in water:	No Appearance: Tan Fibrous material		

## IV. FIRE and EXPLOSION HAZARD DATA:

Flash Point: N/A	Flammable Limits: 500 Degrees C	LEL: N/A	UEL: N/A
Extinguishing media: Water	Special Fire Fighting Procedures: Fight as you would a paper fire		
Unusual Fire and Explosion Hazards: As with any finely divided material, the possibility of explosion exists if ignited.			

## V. REACTIVITY DATA

Stability: Stable      Hazardous Polymerization: Will not occur  
Hazardous Decomposition or Byproducts: May evolve ammonia gas in contact with strong caustic  
Incompatibility (materials to avoid): Strong concentrated acids

## VI. HEALTH HAZARD DATA.

Inhalation: None Known (May upset allergies)  
Skin: None Known (Irritation possible, wash w/soap and water).  
Ingestion: None Known  
Eye Contact: Redness or irritation possible. Flush with water  
Health Hazards: Product is physiologically inert; the only injury would be mechanical abrasion of the skin or eyes.  
Carcinogenicity: None      IARC Monographs: None      OSHA Regulated: No  
Medical conditions generally aggravated by exposure: Allergies, respiratory illnesses  
Emergency and First Aid Procedures: Move to fresh air, wash affected area w/ soap & water, call physician if condition persists.

## VII. PRECAUTIONS and SAFE HANDLING USE

Steps to be taken in Case Material is released or spilled: Material is biodegradable and can be incinerated.  
Waste Disposal Method: Waste disposal in accordance with local state and federal regulations. Sweep up spilled material.  
Precautions to be taken in Handling and Storage: Store in well ventilated areas.  
Other Precautions: Handle as with any finely divided material

## VIII. Controls and Measures

Respiratory Protection (specify type): Dust mask recommended  
Ventilation: Local exhaust - normal room ventilation Work/Hygienic Practices: None Required  
Special: None      Mechanical (General): N/A      Other: None      Protective Gloves: None Required  
Eye Protection: Goggles Recommended Other Protective Equipment: None

Revised – 03/01

(Reproduce Locally)



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

## GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235

# RAMSORB 1A

## Safe and Easy Response to Acid Spills

RamSorb 1A is not a neutralization agent but rather an absorbent that allows a safer way of handling casual and emergency acid spills.

RamSorb 1A absorbs acids and renders them safe to dispose while affording maximum worker safety. Kitty litter, peat moss, polypropylene and cellulose absorbents are ineffective in handling acids thus putting workers in danger in the handling of the spill



RamSorb 1A is a combination of various particle-sized cellulose materials that are impregnated with 15% soda ash. It is safe to handle and when applied to an acid spill, RamSorb 1A immediately begins to absorb and neutralize the acid. In most states, materials with a pH level above 2.0 are deemed safe for disposal into landfills (based solely on the pH measurement). Disposal must be in accordance with all local, state and federal regulations.

- Absorbs up to 3/4 gallon of acid per pound of RamSorb 1A
- Encapsulates spills
- Safer and quicker than standard methods
- RamSorb 1 is 100% natural
- Quick containment of acid spills
- Acts as a blanket to muffle violent reactions
- Aids in suppression of vapors
- Eliminates "splattering" caused by other methods
- Reduces disposal costs and waste generation
- Harmless to humans, animals or plants
- Can be incinerated with less than 5% ash

### To order

visit [www.greenappletech.in](http://www.greenappletech.in)  
call 0145-5100253 / 254 / 255

Product	Part Number	Quantity	Price
RamSorb IA 25 lb. Bag	1500-001-25 Less than pallet (1-49 bags)	1 Pallet ( 50 Bags)	Call for Current Pricing
RamSorb IA 5 Gallon Pail (16 lbs.)	1500-001A-16 Less than pallet ( 1-35 pails)	1 Pallet (36 pails)	Call for Current Pricing
RamSorb IA 4 lb Shaker Bottle	1500-001A-SH Less than case (1-4 bottles)	1 Case (4 Bottles)	Call for Current Pricing
RamSorb IA 10 Gallon Pail (Screw Top)	1500-001A-50	1 Barrel	Call for Current Pricing
RamSorb IA Large Fiber Barrel	1500-001A-110	1 Barrel	Call for Current Pricing



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

#### GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235

# MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard:29 CFR 1910.1200

## I. PRODUCT IDENTIFICATION: RamSorb 1A

Manufactured By: RAM Environmental Technologies, Inc.

## II. HAZARDOUS INGREDIENTS: NONE

NON-HAZARDOUS, NON-TOXIC - Chem. Name:	%	PEL/OSHA	TLV-ACGIH	CAS NUMBER
	N/L	N/L	N/L	N/L

## III. PHYSICAL DATA:

Boiling Point: N/A	Spec. Gravity: (H <sub>2</sub> O = 1) 1.88/cc	Vapor Pressure: (mm Hg)-N/A
Melting Point: N/A	Vapor Density (Air = 1): N/A	Evaporation Rate (Butyl Acetate = 1): N/A
Solubility in water: No	Appearance: Tan Fibrous material	

## IV. FIRE and EXPLOSION HAZARD DATA:

Flash Point: N/A	Flammable Limits: 500 Degrees C	LEL: N/A	UEL: N/A
Extinguishing media: Water	Special Fire Fighting Procedures: Fight as you would a paper fire		
Unusual Fire and Explosion Hazards: As with any finely divided material, the possibility of explosion exists if ignited.			

## V. REACTIVITY DATA

Stability: Stable                      Hazardous Polymerization: WILL NOT OCCUR  
Hazardous Decomposition or Byproducts: May evolve ammonia gas in contact with strong caustic  
Incompatibility (materials to avoid): Strong concentrated acids

## VI. HEALTH HAZARD DATA.

Inhalation: None Known (May upset allergies)  
Skin: None Known (Irritation possible, wash w/soap and water).  
Ingestion: None Known  
Eye Contact: Redness or irritation possible. Flush with water  
Health Hazards: Product is physiologically inert; the only injury would be mechanical abrasion of the skin or eyes.  
Carcinogenity: None                      IARC Monographs: None                      OSHA Regulated: No  
Medical conditions generally aggravated by exposure: Allergies, respiratory illnesses  
Emergency and First Aid Procedures: Move to fresh air, wash affected area w/ soap & water, call physician if condition persists.

## VII. PRECAUTIONS and SAFE HANDLING USE

Steps to be taken in Case Material is released or spilled: Material is biodegradable and can be incinerated.  
Waste Disposal Method: Waste disposal in accordance with local state and federal regulations. Sweep up spilled material.  
Precautions to be taken in Handling and Storage: Store in well ventilated areas.  
Other Precautions: Handle as with any finely divided material

## VIII. Controls and Measures

Respiratory Protection (specify type): Dust mask recommended  
Ventilation: Local exhaust - normal room ventilation Work/Hygienic Practices: None Required  
Special: None                      Mechanical (General): N/A                      Other: None                      Protective Gloves: None Required  
Eye Protection: Goggles Recommended Other Protective Equipment: None

Revised – 6/99

(Reproduce Locally)



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

## GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55    ●    Fax : +91-145-2424235

# RAMSORB II

## Premium Absorbent For Hydrocarbon Spills on Water

- 100% Cellulose - Made completely from recycled raw materials
- Reduces or eliminates disposal costs
- Harmless to plant, animal and aquatic life
- Encapsulates hydrocarbons & prevents leaching
- Selectively absorbs hydrocarbons from water
- Floats indefinitely after absorbing hydrocarbons
- Available in Booms, Socks and Pillows
- Can be incinerated - contributes 7,000 BTUs with less than 4% ash
- Absorbs up to 15 times its own weight in oil



RamSorb II is the premier oil on water absorbent product on the market today. It is light-weight, non-toxic, 100% cellulose and easy to use.

RamSorb II picks up hydrocarbons from water and is harmless to plant, animal and aquatic life. While absorbing hydrocarbons, it absorbs trace amounts of water for a cleaner surface (less sheen). Once RamSorb II has absorbed hydrocarbons it will float indefinitely for easy removal.

RamSorb II can also save on disposal costs. It can be incinerated and will contribute approximately 7,000 BTUs per pound during incineration, with less than 4% ash and will not produce unwanted emissions. It can typically be placed in landfills where no "free liquids" and no strong petroleum odors are allowed. RamSorb II is lightweight and its high absorption rate will lower

### To order

visit [www.greenappletech.in](http://www.greenappletech.in)

call 0145-5100253 / 254 / 255

Product	Part Number	Quantity	Price
RamSorb 2 20 lb. Bag	1500-002-20 Less than pallet (1-49 bags)	1 Pallet (30 Bags)	Call for Current Pricing



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

#### GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235



# MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard:29 CFR 1910.1200

## I. PRODUCT IDENTIFICATION: RamSorb 2

Manufactured By: RAM Environmental Technologies, Inc.

## II. HAZARDOUS INGREDIENTS: NONE

NON-HAZARDOUS, NON-TOXIC -	Chem. Name :	%	PEL/OSHA	TLV-ACGIH	CAS NUMBER
		N/L	N/L	N/L	N/L

## III. PHYSICAL DATA:

Boiling Point: N/A	Spec. Gravity: (H <sub>2</sub> O * 1) 1.00/cc	Vapor Pressure: (mm Hg)-N/A
Melting Point: N/A	Vapor Density (Air * 1): N/A	Evaporation Rate (Butyl Acetate *.1): N/A
Solubility in water: No	Appearance: Tan Fibrous material	

## IV. FIRE and EXPLOSION HAZARD DATA:

Flash Point: N/A	Flammable Limits: 500 Degrees C	LEL: N/A	UEL: N/A
Extinguishing media: Water	Special Fire Fighting Procedures: Fight as you would a paper fire		
Unusual Fire and Explosion Hazards: As with any finely divided material, the possibility of explosion exists if ignited.			

## V. REACTIVITY DATA

Stability: Stable                      Hazardous Polymerization: WILL NOT OCCUR  
Hazardous Decomposition or Byproducts: May evolve ammonia gas in contact with strong caustic  
Incompatibility (materials to avoid): Strong concentrated acids

## VI. HEALTH HAZARD DATA.

Inhalation: None Known (May upset allergies)  
Skin: None Known (Irritation possible, wash w/soap and water).  
Ingestion: None Known  
Eye Contact: Redness or irritation possible. Flush with water  
Health Hazards: Product is physiologically inert; the only injury would be mechanical abrasion of the skin or eyes.  
Carcinogenity: None                      IARC Monographs: None                      OSHA Regulated: No  
Medical conditions generally aggravated by exposure: Allergies, respiratory illnesses  
Emergency and First Aid Procedures: Move to fresh air, wash affected area w/ soap & water, call physician if condition persists.

## VII. PRECAUTIONS and SAFE HANDLING USE

Steps to be taken in Case Material is released or spilled: Material is biodegradable and can be incinerated.  
Waste Disposal Method: Waste disposal in accordance with local state and federal regulations. Sweep up spilled material.  
Precautions to be taken in Handling and Storage: Store in well ventilated areas.  
Other Precautions: Handle as with any finely divided material

## VIII. CONTROLS AND MEASURES:

Respirator Protection (specify type): Dust mask recommended	Special: None
Ventilation – Local exhaust: Normal room ventilation	Other: None
Mechanical (General): N/A	Required Eye Protection: Goggles recommended
Protective Gloves: None	Work/Hygienic Practices: None required
Other Protective Equipment: None	(Reproduce Locally)                      OSHA 174, Sept. 1985
PSC – 10/92	Revised – 4/98



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

## GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55    Fax : +91-145-2424235

# RAMSORB III

## Premium Oil Absorbent

- 100% Cellulose, Non-abrasive
- Ten times more absorbent than traditional clay products
- Reduces or eliminates disposal costs
- Made completely from recycled raw materials
- Encapsulates hydrocarbons and prevents leaching
- Suppresses vapors and leaves surface non-slick
- Absorbs up to 6 times its own weight in oil



### To order

visit [www.greenappletech.in](http://www.greenappletech.in)

call 0145-5100253 / 254 / 255

RamSorb III is the most efficient absorbent product on the market today for spills on concrete, asphalt, and other hard surfaces. It is light-weight, non-toxic, 100% cellulose and easy to use. RamSorb III is excellent for use in plant, shop and roadway environments because it will quickly absorb and encapsulate hydrocarbon spills. It also suppresses vapors, leaves surfaces non-slick and can be reused until fully saturated. It is harmless to plant, animal and aquatic life. RamSorb III is excellent for fuel, oil, paint, coolants and other spills on roadways and shop floors.

Ramsorb III can also save on disposal costs. It can be incinerated and will contribute approximately 7,000 BTUs per pound during incineration, with less than 4% ash. It can typically be placed in landfills where no "free liquids" and no strong petroleum orders are allowed.

Product	Part Number	Quantity	Price
RamSorb III 30 lb. Bag	1500-003-30	1 Pallet ( 50 Bags)	Call for Current Pricing
RamSorb III Shaker Bottle	1500-003	1 Case (4 Bottles)	Call for Current Pricing
RamSorb III 5 Gallon Pail	1500-003-20	1 Pallet (36 pails)	Call for Current Pricing
RamSorb III 10 Gallon Pail (Screw Top)	1500-003-60	1 Barrel	Call for Current Pricing
RamSorb III Large Fiber Barrel	1500-003-140	1 Barrel (Approx. 140 lbs.)	Call for Current Pricing



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

### GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235

# MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard:29 CFR 1910.1200

## I. PRODUCT IDENTIFICATION:

RamSorb 3  
Manufactured By: RAM Environmental Technologies, Inc.

## II. HAZARDOUS INGREDIENTS:

NONE  
NON-HAZARDOUS, NON-TOXIC - Chem. Name: % PEL/OSHA TLV-ACGIH CAS NUMBER  
N/L N/L N/L N/L

## III. PHYSICAL DATA:

Boiling Point: N/A Spec. Gravity: (H<sub>2</sub>O \* 1) 1.25/cc Vapor Pressure: (mm Hg)-N/A  
Melting Point: N/A Vapor Density (Air \* 1): N/A Evaporation Rate (Butyl Acetate \*.1): N/A  
Solubility in water: No Appearance: Tan Fibrous material

## IV. FIRE and EXPLOSION HAZARD DATA:

Flash Point: N/A Flammable Limits: 500 Degrees C LEL: N/A UEL: N/A  
Extinguishing media: Water Special Fire Fighting Procedures: Fight as you would a paper fire  
Unusual Fire and Explosion Hazards: As with any finely divided material, the possibility of explosion exists if ignited.

## V. REACTIVITY DATA

Stability: Stable Hazardous Polymerization: WILL NOT OCCUR  
Hazardous Decomposition or Byproducts: May evolve ammonia gas in contact with strong caustic  
Incompatibility (materials to avoid): Strong concentrated acids

## VI. HEALTH HAZARD DATA.

Inhalation: None Known (May upset allergies)  
Skin: None Known (Irritation possible, wash w/soap and water).  
Ingestion: None Known  
Eye Contact: Redness or irritation possible. Flush with water  
Health Hazards: Product is physiologically inert; the only injury would be mechanical abrasion of the skin or eyes.  
Carcinogenicity: None IARC Monographs: None OSHA Regulated: No  
Medical conditions generally aggravated by exposure: Allergies, respiratory illnesses  
Emergency and First Aid Procedures: Move to fresh air, wash affected area w/ soap & water, call physician if condition persists.

## VII. PRECAUTIONS and SAFE HANDLING USE

Steps to be taken in Case Material is released or spilled: Material is biodegradable and can be incinerated.  
Waste Disposal Method: Waste disposal in accordance with local state and federal regulations. Sweep up spilled material.  
Precautions to be taken in Handling and Storage: Store in well ventilated areas.  
Other Precautions: Handle as with any finely divided material

## VIII. CONTROLS AND MEASURES:

Respirator Protection (specify type): Dust mask recommended  
Ventilation – Local exhaust: Normal room ventilation Special: None  
Mechanical (General): N/A Other: None  
Protective Gloves: None Required Eye Protection: Goggles recommended  
Other Protective Equipment: None Work/Hygienic Practices: None required  
Revised – 6/99 (Reproduce Locally)

PSC – 10/92

Revised – 4/03

(Reproduce Locally)

OSHA 174, Sept. 1985



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)


## GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235

# RAMSORB IV

## Premium Oil Absorbent

- 100% Cellulose—Made completely from recycled raw materials
- Reduces transportation costs and disposal costs
- Harmless to plant, animal and aquatic life
- Non-toxic and biodegradable
- Absorbs excess moisture to stabilize sludge
- Can be incinerated - contributes 7,000 BTUs with less than 4% ash
- Absorbs up to 15 times its own weight in oil



**RamSorb IV** is the most cost effective universal absorbent product on the market for stabilizing soils and sludges. It is light-weight, non-toxic, 100% cellulose and easy to use. Its high absorbency and light weight means less product is required which results in significant cost savings. Using less material means there is less to be hauled to the landfill or incinerator.

**Ramsorb IV** is made from all natural, recycled raw materials and is harmless to plant, animal and aquatic life. It can be incinerated and will contribute approximately 7,000 BTUs per pound during incineration, with less than 4% ash and will not produce unwanted emissions. It can typically be placed in landfills where “free liquids” and no strong petroleum odors are allowed. For large scale use it is packaged in a 750 lb. Bale and for small scale use it comes in an easy to handle 20 lb. bag.

**RamSorb IV** can also be used as an effective packaging material where absorbing accidental spills is a concern.

## To order

visit [www.greenappletech.in](http://www.greenappletech.in)

call 0145-5100253 / 254 / 255

Product	Part Number	Quantity	Price
RamSorb VI 20 lb. Bag	1500-004-20	1 Pallet ( 30 Bags)	Call for Current Pricing
RamSorb VI 750 lb. Bale	1500-004-750	1 bale	Call for Current Pricing



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

### GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 • Fax : +91-145-2424235



# MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard:29 CFR 1910.1200

## I. PRODUCT IDENTIFICATION: RamSorb 42

Manufactured By: RAM Environmental Technologies, Inc.

## II. HAZARDOUS INGREDIENTS: NONE

NON-HAZARDOUS, NON-TOXIC - Chem. Name:	%	PEL/OSHA	TLV-ACGIH	CAS NUMBER
	N/L	N/L	N/L	N/L

## III. PHYSICAL DATA:

Boiling Point: N/A	Spec. Gravity: (H <sub>2</sub> O * 1) 1.00/cc	Vapor Pressure: (mm Hg)-N/A
Melting Point: N/A	Vapor Density (Air * 1): N/A	Evaporation Rate (Butyl Acetate *.1): N/A
Solubility in water: No	Appearance: Tan or White Fibrous material - Odorless	

## IV. FIRE and EXPLOSION HAZARD DATA:

Flash Point: N/A	Flammable Limits: 500 Degrees C	LEL: N/A	UEL: N/A
Extinguishing media: Water	Special Fire Fighting Procedures: Fight as you would a paper fire		
Unusual Fire and Explosion Hazards: As with any finely divided material, the possibility of explosion exists if ignited.			

## V. REACTIVITY DATA

Stability: Stable      Hazardous Polymerization: WILL NOT OCCUR  
Hazardous Decomposition or Byproducts: May evolve ammonia gas in contact with strong caustic  
Incompatibility (materials to avoid): Strong concentrated acids

## VI. HEALTH HAZARD DATA.

Inhalation: None Known (May upset allergies)  
Skin: None Known (Irritation possible, wash w/soap and water).  
Ingestion: None Known  
Eye Contact: Redness or irritation possible. Flush with water  
Health Hazards: Product is physiologically inert; the only injury would be mechanical abrasion of the skin or eyes.  
Carcinogenicity: None      IARC Monographs: None      OSHA Regulated: No  
Medical conditions generally aggravated by exposure: Allergies, respiratory illnesses  
Emergency and First Aid Procedures: Move to fresh air, wash affected area w/ soap & water, call physician if condition persists.

## VII. PRECAUTIONS and SAFE HANDLING USE

Steps to be taken in Case Material is released or spilled: Material is biodegradable and can be incinerated.  
Waste Disposal Method: Waste disposal in accordance with local state and federal regulations. Sweep up spilled material.  
Precautions to be taken in Handling and Storage: Store in well ventilated areas.  
Other Precautions: Handle as with any finely divided material

## VIII. CONTROLS AND MEASURES:

Respiratory Protection (specify type): Dust mask recommended  
Ventilation: Local exhaust - normal room ventilation Work/Hygienic Practices: None Required  
Special: None      Mechanical (General): N/A      Other: None Protective Gloves: None Required  
Eye Protection: Goggles Recommended      Other Protective Equipment: None

Revised – 12/00

(Reproduce Locally)



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

Web: [www.greenappletech.in](http://www.greenappletech.in)  
Email: [info@greenappletech.in](mailto:info@greenappletech.in)

## GREEN APPLE ENVIRONMENTAL TECHNOLOGIES

Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : +91-145-5100253 / 54 / 55 ● Fax : +91-145-2424235

# Genesis Pipeline Spill

## Collins, Mississippi, Genesis Pipeline Co. USA

**History of Oil Spill Remediation - 320,000 gallons**

Application of RamSorb.  
Spill detected.

First RamSorb applied 7 Days Later.  
30 truckloads of RamSorb were applied.

### Environmental Damage



### RamSorb gets to work



**Six Months Later**

**Eight Months Later**

**Sixteen Months Later**





*The **Earth** is yours... Save it*



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution



**GREENAPPLE**

Green Approach to combat  
hydrocarbon pollution

**GREEN APPLE ENVIRONMENTAL TECHNOLOGIES**

Head Office : Opp. Kishangarh Kothi, Jaipur Road, Ajmer - 305001 (Rajasthan) India  
Tel. : 0145-5100253 / 254 / 255 | Fax : +91-145-2424235  
Web: [www.greenappletech.in](http://www.greenappletech.in) | Email: [info@greenappletech.in](mailto:info@greenappletech.in)

**DELHI**

287-Patparganj Industrial Area,  
Delhi-110 092 (India)  
Ph: +91-11-43095349  
Fax: +91-11-43103005

**KOLKATA**

224 AJC Boss Road, Room No. 218,  
IInd Floor, Kolkata - 700017  
Ph: +91-33-22817753  
Fax: +91-33-22817755

**BANGALURU**

No. 61, Pattanagere, Kengeri Hobli,  
R.V. Collage Post, Behind VRL Godown  
Bangaluru - 560059  
Tel. : +91-80-41214562 Fax : +91-80-41609294